



Download specifics




Aluminium

Painted Steel  
RAL 7021**26/36**

This oil tank is equipped with:  
- air breather cap h 41  
- round aluminium level gauge 3/4"

**Mounting kit:** available for side and inside position.  
Steel version includes welded mounting kit.

[www.padoan.it/documents/Padoan\\_OIL\\_26-36\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_26-36_EN.pdf)

**26/36 (sidewalls 260 mm h x 360 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel
Multi Function (MF)	● 135	● E	●	●	● Side/Inside	○ 1"1/4	40	465 x 260 x 360	A	-0040046H000
							50	565 x 260 x 360	A	-0050056H000
Multi Function (MF)	● 135	● E	●	●	● Side/Inside Welded mounting kit included	○ 1" 1/4	30	365 x 260 x 360	F	-0030036H000
							40	465 x 260 x 360	F	-0040046H000
							50	565 x 260 x 360	F	-0050056H000

\* Full tank capacity

● included ○ predisposed (not incl) ● not included in the standard tanks




Download specifics

Painted Steel  
RAL 7021**36/26**

This oil tank is equipped with:  
- air breather cap h 41  
- round aluminium level gauge 3/4"

**Welded mounting kit:** rear position only.

[www.padoan.it/documents/Padoan\\_OIL\\_36-26\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_36-26_EN.pdf)

**36/26 (sidewalls 360 mm h x 260 mm w)**


Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOF = Steel
Multi Function (MF)	● 135	● E	●	●	● Rear (welded)	○ 1"1/4	30	365 x 360 x 260	F	-0030036V000
							40	465 x 360 x 260	F	-0040046V000
							50	565 x 360 x 260	F	-0050056V000

\* Full tank capacity

● included ○ predisposed (not incl) ● not included in the standard tanks




Download specifics



**44/54**

This oil tank is equipped with:  
 - air breather cap h 41  
 - level gauge included (check on the table if round or sight)  
 - adjustable ball valve



**Mounting kit:** available for side and rear position.

[www.padoan.it/documents/Padoan\\_OIL\\_44-54\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_44-54_EN.pdf)

**44/54 (sidewalls 440 mm h x 540 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel
Multi Function (MF)	● 135	● L	●	●	● Side / Rear	● 1"1/4	60-70	350 x 440 x 540	A/F	- 0070035MF00
		● E					80	400 x 440 x 540	A/F	- 0080040MF00
							90	450 x 440 x 540	A/F	- 0090045MF00

\* Full tank capacity ● included ○ predisposed (not incl) ● not included in the standard tanks




Download specifics



**50/64**

This oil tank is equipped with:  
 - air breather cap h 41  
 - round aluminium level gauge 1" (specific indicator on the EVO Filter)  
 - adjustable ball valve



**Mounting kit:** available for side and rear position.

**Notes:** Filter included for EVO (ET).

[www.padoan.it/documents/Padoan\\_OIL\\_50-64\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_50-64_EN.pdf)

**50/64 (sidewalls 500 mm h x 640 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel NSOI = Stainless steel
Multi Function (MF)	● 135	● E	●	●	● Side / Rear	● 1"1/4	90	350 x 500 x 640	A/F/I	- 0090035MF00
							100	400 x 500 x 640	A/F/I	- 0100040MF00
							120	450 x 500 x 640	A/F/I	- 0120045MF00
							130	500 x 500 x 640	A/F/I	- 0130050MF00
							150	550 x 500 x 640	A/F/I	- 0150055MF00
							160	600 x 500 x 640	A/F/I	- 0160060MF00
							215	780 x 500 x 640	A/F/I	- 0215078MF00
Monobacket	● 135	● E	●	●	● Side	● 1"1/4	75	300 x 500 x 640	A/F	- 0075030CF00
Evo (ET)	● Evo	● Part of Evo Filter	●	●	● Side / Rear	● 1"1/2	90	350 x 500 x 640	A/F/I	- 0090035ET00
							100	400 x 500 x 640	A/F/I	- 0100040ET00
							120	450 x 500 x 640	A/F/I	- 0120045ET00
							130	500 x 500 x 640	A/F/I	- 0130050ET00
							150	550 x 500 x 640	A/F/I	- 0150055ET00
							160	600 x 500 x 640	A/F/I	- 0160060ET00
							215	780 x 500 x 640	A/F/I	- 0215078ET00
Compact	● 135						75	300 x 500 x 640	A/F	- 0075030RC00
	● 135	● E	●	●	● Rear	● 1"1/4	90	350 x 500 x 640	F	- 0090035RC00
							100	400 x 500 x 640	F/I	- 0100040RC00
							120	450 x 500 x 640	F	- 0120045RC00

\* Full tank capacity ● included ○ predisposed (not incl) ● not included in the standard tanks



Download specifics



**50/64 - T20**

This oil tank is equipped with:  
- air breather cap h 41

**Mounting kit:** available only for side position.

**Notes:** This tank has a specific shape designed to include a frontal large inclined surface of 20° so the filter is more accessible for maintenance.

[www.padoan.it/documents/Padoan\\_OIL\\_50-64\\_T20\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_50-64_T20_EN.pdf)

**50/64 T20 (sidewalls 500 mm h x 640 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel NSOI = Stainless steel	
T20	● 135					○ 1"1/2	75	300 x 500 x 640	A/F	- 0075030T200	
							100	400 x 500 x 640	A/F/I	- 0100040T200	
							120	470 x 500 x 640	A/F/I	- 0120047T200	
	● 195	○ L	●	●	● Side	○ 2"	140	530 x 500 x 640	A/F/I	- 0140053T200	
							150	570 x 500 x 640	A/F/I	- 0150057T200	
							200	750 x 500 x 640	A/F/I	- 0200075T200	
							250	930 x 500 x 640	A/F/I	- 0250093T200	
						○ 2"1/2		300	1100 x 500 x 640	A/F/I	- 0300110T200
								400	1500 x 500 x 640	A/F/I	- 0400150T200

\* Full tank capacity ● included ○ predisposed (not incl) ● not included in the standard tanks



Download specifics



**63/70**

This oil tank is equipped with:  
- air breather cap h 41  
- round aluminium level gauge 1" (specific indicator on the EVO Filter)  
- adjustable ball valve

**Mounting kit:** available for side and rear position.

**Notes:** Filter included for EVO (ET).

[www.padoan.it/documents/Padoan\\_OIL\\_63-70\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_63-70_EN.pdf)

**63/70 (sidewalls 636 mm h x 706 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel NSOI = Stainless steel	
Multi Function (MF)	● 135	● E	●	●	● Side / Rear	● 1"1/2	135	350 x 636 x 706	A/F/I	- 0135035MF00	
							150	400 x 636 x 706	A/F/I	- 0150040MF00	
	● 195	● E	●	●	● Side	● 1"1/2	170	450 x 636 x 706	A/F/I	- 0170045MF00	
							200	500 x 636 x 706	A/F/I	- 0200050MF00	
						● 2"	250	600 x 636 x 706	A/F/I	- 0250060CF00	
Monobacket	● 135	● E	●	●	● Side	● 1"1/2	120	300 x 636 x 706	A/F/I	- 0120030CF00	
	● 135	● E	●	●	● Side / Rear	● 1"1/2	135	350 x 636 x 706	A/F	- 0135035MFMS	
Valve Plate (MFPG)	● 135	● E	●	●	● Side / Rear	● 1"1/2	135	350 x 636 x 706	A/F/I	- 0135035MFPG	
							150	400 x 636 x 706	A/F/I	- 0150040MFPG	
							170	450 x 636 x 706	A/F/I	- 0170045MFPG	
							200	500 x 636 x 706	A/F/I	- 0200050MFPG	
							250	600 x 636 x 706	A/F/I	- 0250060MFPG	
Evo (ET)	● Evo	● Part of Evo Filter	●	●	● Side / Rear	● 1"1/2	135	350 x 636 x 706	A/F/I	- 0135035ET00	
							150	400 x 636 x 706	A/F/I	- 0150040ET00	
							170	450 x 636 x 706	A/F/I	- 0170045ET00	
							200	500 x 636 x 706	A/F/I	- 0200050ET00	
							● 2"	250	600 x 636 x 706	A/F/I	- 0250060ET00
								135	350 x 636 x 706	A/F	- 0135035RC00
							Compact	● 135	● E	●	●

\* Full tank capacity ● included ○ predisposed (not incl) ● not included in the standard tanks



Download specifics


**70/63**

This oil tank is equipped with:  
 - air breather cap h 41  
 - round aluminium level gauge 1"  
 - adjustable ball valve

**Mounting kit:** available for side and rear position.

**Notes:** Filter included for EVO (ET).

[www.padoan.it/documents/Padoan\\_OIL\\_70-63\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_70-63_EN.pdf)

**70/63 (sidewalls 706 mm h x 636 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel NSOI = Stainless steel
Multi Function (MF)	● 135	● E	●	●	● Side / Rear	● 1"1/2	135	350 x 706 x 636	F/I	- 0135035C0RV
							150	400 x 706 x 636	A/F/I	- 0150040C0RV
							170	450 x 706 x 636	A/F/I	- 0170045C0RV
							200	500 x 706 x 636	A/F/I	- 0200050C0RV
Monobacket	●	● E	●	●	● Side	● 1"1/2	120	300 x 706 x 636	A/F	- 0120030C0RV

\* Full tank capacity

● included ○ predisposed (not incl) ● not included in the standard tanks



Download specifics



**70/70**

This oil tank is equipped with:  
 - air breather cap h 41  
 - round aluminium level gauge 1"  
 (specific indicator on the EVO Filter)  
 - adjustable ball valve

**Mounting kit:** available for side and rear position.

**Notes:** Filter included for EVO (ET).

[www.padoan.it/documents/Padoan\\_OIL\\_70-70\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_70-70_EN.pdf)

**70/70 (sidewalls 700 mm h x 700 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel NSOI = Stainless steel
Multi Function (MF)	● 135	● E	●	●	● Side / Rear	● 1"1/2	150	350 x 700 x 700	A/F	- 0150035MF00
							170	400 x 700 x 700	A/F	- 0170040MF00
							200	450 x 700 x 700	A/F	- 0200045MF00
	● 195					● 2"	250	550 x 700 x 700	A/F	- 0250055CF00
Monobacket	● 135	● E	●	●	● Side	● 1"1/2	130	300 x 700 x 700	A/F	- 0130030CF00
Evo (ET)	● Evo	● Part of Evo Filter	●	●	● Side / Rear	● 1"1/2	170	400 x 700 x 700	A	- 0170040ET00
							200	450 x 700 x 700	A	- 0200045ET00

\* Full tank capacity

● included ○ predisposed (not incl) ● not included in the standard tanks




Download specifics



**63/27**

- This oil tank is equipped with:
- air breather cap h 69
  - round aluminium level gauge 1" (specific indicator on the EVO Filter)
  - adjustable ball valve
  - rear mounting kit



**Mounting kit:** available only for rear position.

**Notes:** Filter included for EVO (RE).

[www.padoan.it/documents/Padoan\\_OIL\\_63-27\\_EN.pdf](http://www.padoan.it/documents/Padoan_OIL_63-27_EN.pdf)



**63/27 (sidewalls 638 mm h x 270 mm w)**

Products range	Filter Flange	Level Indicator E = Spy eye L = Level gauge	Returns	Valve Plate	Mounting kit	Adjustable Ball Valve	LT*	Dimensions L x H x W	Material	Product Code NSOA = Aluminium NSOF = Steel NSOI = Stainless steel
Classic (RC)	● 135	● E	●	●	● Rear	● 1"1/4	110	700 x 638 x 270	A/F/I	- 0110070RC00
							135	860 x 638 x 270	A/F/I	- 0135086RC00
	● 1"1/2	●	●	●	●	●	180	1150 x 638 x 270	A/F/I	- 0180115RC00
							200	1260 x 638 x 270	A/F/I	- 0200126RC00
Evo (RE)	● Evo	● Part of Evo Filter	●	●	● Rear	● 1"1/4	110	700 x 638 x 270	A/F/I	- 0110070RE00
							135	860 x 638 x 270	A/F/I	- 0135086RE00
	● 1"1/2	●	●	●	●	●	180	1150 x 638 x 270	A/F/I	- 0180115RE00
							200	1260 x 638 x 270	A/F/I	- 0200126RE00
2 Filter Flange (RC30)	● 135 (2flange)	● E	●	●	● Rear	● 1"1/2	200	1260 x 638 x 270	A/F	-0200126RC30

\* Full tank capacity

● included ○ predisposed (not incl) ● not included in the standard tanks